After Final Office Action of April 11, 2006

AMENDMENTS TO THE CLAIMS

1. (Withdrawn) A stable lyophilized formulation obtainable by lyophilization of an oil-in-

water emulsion comprising a bacterial component, an oil, a surfactant, and a stabilizer, as well as

an amino acid or urea, which emulsion is characterized in that:

(a) the bacterial component is encapsulated in an oil droplet;

(b) the oil droplets are dispersed with a single peak of particle diameter distribution in the

aqueous solution; and

(c) the particle diameter distribution of the oil droplets and turbidity in the aqueous

solution are not largely changed before and after lyophilization.

2. (Withdrawn) The stable lyophilized formulation of claim 1, which is formed into an

aqueous solution, of which the turbidity is changed by 50% or less compared to that of an

aqueous solution before lyophilization.

3. (Withdrawn) The stable lyophilized formulation of claim 1 or 2, wherein the bacterial

component is BCG-CWS, and the oil is squalane.

4. (Cancelled)

5. (Withdrawn) The stable lyophilized formulation of claim 3, wherein the amino acid is

glycine.

6. (Withdrawn) A process for preparation of a stable lyophilized formulation, which

comprises lyophilizing an oil-in water emulsion comprising a bacterial component, an oil, a

surfactant, and a stabilizer as well as an amino acid or urea, which emulsion is characterized in

that:

(a) the bacterial component is encapsulated in an oil droplet;

Application No. 09/743,750
Amendment dated October 11, 2006

After Final Office Action of April 11, 2006

(b) the oil droplets are dispersed with a single peak of particle diameter distribution in the

aqueous solution; and

(c) the particle diameter distribution of the oil droplets and turbidity in the aqueous

solution are not largely changed before and after lyophilization.

7. (Withdrawn) The process for preparation of a stable lyophilized formulation of claim

6, which formulation is formed into an aqueous solution, of which the turbidity is changed by

50% or less compared to that of an aqueous solution before lyophilization.

8. (Withdrawn) The process for preparation of a stable lyophilized formulation of claim 6

or 7, wherein the bacterial component is a BCG-CWS, and the oil is squalane.

9. (Cancelled)

10. (Withdrawn) The process for preparation of a stable lyophilized formulation of claim

6, wherein the amino acid is glycine.

11. (Withdrawn) A process for preparation of an oil-in-water emulsion wherein the

emulsion is negative for agglutination reaction with lectin, and a bacterial component that is

selected from a BCG-CWS and Nocardia rubra-CWS is encapsulated in oil, which comprises

the following steps:

(a) stirring a mixture of a bacterial component that is selected from a BCG-CWS and

Nocardia rubra-CWS, an oil, and a dispersion-aiding solvent to disperse the bacterial component

in the mixture;

(b) evaporating off the dispersion-aiding solvent to form an oil wherein the bacterial

component is homogeneously dispersed, or an oil droplet wherein the bacterial component is

encapsulated in the oil; and then,

(c) adding an aqueous solution containing a surfactant thereof, and emulsifying the

mixture.

12. (Cancelled)

- 13. (Withdrawn) The process for preparation of an oil-in-water emulsion of claim 11, wherein the bacterial component is a BCG-CWS, and the oil is squalane.
- 14. (Withdrawn) The process for preparation of an oil-in-water emulsion of claim 11 or 13, wherein the dispersion-aiding solvent is ethanol or toluene.
- 15. (Withdrawn) The process for preparation of an oil-in-water emulsion of claim 11, wherein the oil droplet is dispersed in a manner that the diameter of the particle is about 100 μ m or less.
- 16. (Withdrawn) A process for preparation of an oil-in-water emulsion, which comprises the following steps:
- (a) stirring a mixture of a bacterial component, an oil, and a dispersion-aiding solvent to disperse the bacterial component in the mixture;
 - (b) evaporating off the dispersion-aiding solvent; and then;
- (c) performing the following two-step emulsification process which comprises adding an aqueous solution containing a surfactant:
- i) adding an aqueous solution containing a surfactant at a low concentration to the evaporated material, and stirring gently the mixture, thereby performing rough emulsification; and
- ii) optionally, adjusting the concentration of the surfactant in the roughly emulsified solution, and stirring vigorously the mixture, thereby performing adequate emulsification in order to provide a desired particle diameter distribution.
- 17. (Withdrawn) The process for preparation of an oil-in-water emulsion of claim 16, wherein an amount of the surfactant in the aqueous solution containing the surfactant at a low

4

Docket No.: 0020-4802P

concentration used in rough emulsification of the two-step emulsification process is 10% or less

of the oil.

18. (Withdrawn) The process for preparation of an oil-in-water emulsion of claim 16 or

17, wherein the surfactant is Polysorbate 80 (Tween80).

19. (Withdrawn-currently amended) The process for preparation of an oil-in-water

emulsion of any one of claims 16 to 18claim 16 or 17, wherein the bacterial component is a

BCG-CWS or a CWS of Nocardia rubra.

20. (Withdrawn) The process for preparation of an oil-in-water emulsion of claim 16,

wherein the bacterial component is a BCG-CWS, and the oil is squalane.

21. (Currently Amended) An oil-in-water emulsion wherein the emulsion is dispersed

without crude particles, negative for agglutination reaction with lectin, and a Bacillus Calmette-

Guerin cell wall skeleton is encapsulated in an oil, and the particle diameter of an oil droplet is

100 µm or less, which emulsion is obtained by the following steps:

(a) stirring a mixture of a Bacillus Calmette-Guerin cell wall skeleton, an oil, and an

organic solvent to disperse the Bacillus Calmette-Guerin cell wall skeleton in the mixture;

(b) evaporating off the organic solvent to form an oil wherein the Bacillus Calmette-

Guerin cell wall skeleton is homogeneously dispersed, or an oil droplet wherein the Bacillus

Calmette-Guerin cell wall skeleton is encapsulated in the oil; and then,

(c) adding an aqueous solution containing a surfactant thereto, and emulsifying the

mixture.

22. (Previously Presented) The oil-in-water emulsion of claim 21, wherein the organic

solvent is ethanol or toluene.

Application No. 09/743,750 Docket No.: 0020-4802P

Amendment dated October 11, 2006 After Final Office Action of April 11, 2006

23. (Previously Presented) The oil-in-water emulsion of claim 21 or 22, wherein the oil is

squalane.

24. (Previously Presented) An oil or an oil droplet wherein a Bacillus Calmette-Guerin

cell wall skeleton having an particle diameter of about 100 µm or less is homogeneously

dispersed.

25. (Previously Presented) The oil droplet of claim 24, wherein the particle diameter is

about 25 μm .

26. (Previously Presented) The oil-in-water emulsion of claim 21, wherein the organic

solvent is selected from the group consisting of an aromatic hydrocarbon, an aliphatic

hydrocarbon, a halogenated hydrocarbon, a lower alcohol, an acetate, an ether and a ketone.